

MIKUSU INDIA PVT. LTD.

MIKUSU India Pvt. Ltd has made rapid strides in the Pesticides Market and in a short span has introduced more than 100 Brands in the market and many more are in the verge of being introduced. MIKUSU has presence in all states of India and is catering to more than 2500 Dealers / Distributors with its sales team spread across the country. MIKUSU has appointed professional CNF agents to manage its operations in all states.

- ♦ Established in the year 2022, a sister concern of Heranba Industries Limited.
- MIKUSU manufacturing facility is at Sarigam, Gujarat.
- MIKUSU philosophy is to provide innovative quality products to protect the crop from pest infestation and improve the crop yield NEW ENOUGH TO INNOVATE
- MIKUSU a new entrant in the business of agro-chemicals, has its presence in all states of India and catering to the farming community through its appointed dealers / distributors -- LET'S GROW TOGETHER
- The product line of MIKUSU includes all range of Herbicides, Insecticides, Fungicides, and PGR & Fertilisers.
- Having strong Manufacturing platform, fully integrated and supported by state of art R&D Facility for its technicals and formulations to cater high quality Agro-solutions to farmers
- 2500 + Dealers / Distributors Across India
- Head Office at Mumbai
- 100 + Brands Supplied In all States of India

A Map (INDIA) Showing our Presence in all States Listed Below






CITAR

ACETAMIPRID 20% SP



FERN

BIFENTHRIN 10% EC



ACE-PRO

Buprofezin 15% + Acephate 35% WP



TIPTOP 50

CARTAP 50% SP



CHLORANTRANILIPROLE 0.4%GR



RYNAXI GR RYNAXI GEN

CHLORANTRANILIPROLE 18,5% SC



RAMPAGE

CHLORPYRIPHOS 20% EC



50 FOS CHLORPYRIFOS 50% EC



CLOTHIANIDIN 50% WDG



RAMPAGE PLUS

CHLORPYRIPHOS 50%+ **CYPERMETHRIN 5%**





CIPHER CIPHER PLUS

CYPERMETHRIN 10% E.C. CYPERMETHRIN 25% EC



MERIN

DELTAMETHRIN 11% EC



DERIN

DELTAMETHRIN 2.8% EC



DEFLECTOR

DIAFENTHIURON 47% + BIFENTHRIN 9.4% SC



ALARAM

DIAFENTHIURON 50% WP



VIMAN

DINOTEFURAN 15% + PYMETROZINE 45% WG



D-NOTE

DINOTEFURAN 20% SG



EBAAZI

EMAMECTIN BENZOATE 1.9% EC



AMAZE XP

EMAMECTIN BENZOATE 5% SG



THIPER

ETHION 40% + CYPERMETHRIN 5% EC



FAISLA

FIPRONIL 40% + IMIDACLOPRID 40% WG



RONEEL

FIPRONIL 80% WG



MIRANIL

FIPRONIL 0.6% GR

INSECTICIDES



MITRA IMIDACLOPRID 17.8%SL



MITRA G MIJAM PLUS **IMIDACLOPRID 70% WG**





MIZAM

LAMBDA CYHALOTHRIN 5% EC



PERMETHRIN 25% EC



PROFECER

PROFENOFOS 40% + CYPERMETHRIN 4% EC



PERFEKT

PROFENOPHOS 50% EC



PYROZIN

PYMETROZINE 50% WG



ANYTIME

PYRIPROXYFEN 10% + BIFENTHRIN 10% EC



FLAME

THIAMETHOXAM 12.6% + LAMBDA CYHALOTHRIN 9.5% ZC

INSECTICIDES



MIFEN **TOLFENPYRAD 15% EC**



THIMEX PLUS THIAMETHOXAM 30% FS



THIMEX THIAMETHOXAM 25% WG

FRIENDLY

FRIENDLY FLUBENDIAMIDE 20% WG



MIROSIN

SPIROMESIFEN 22.9% SC



FANTASTIC

FLUBENDIAMIDE 8.33%+ DELTAMETHRIN 5.56% SC



SIGNAL

NOVALURAN 5.25%+
EMAMECTIN BENZOATE 0,9%W/W SC



ACURATE

ABAMECTIN 1.9% EC



STORM

AZOXYSTROBIN 11% + TEBUCONAZOLE 18.3% W/W SC



AZEL

AZOXYSTROBIN 18.2% + DIFENOCONAZOLE 11.4%SC



AZONIL

AZOXYSTROBIN 4.8% W/W+ CHLOROTHALONIL 40% W/W SC



TRUECAP

CAPTAN 50% WP



KAZOLE

CAPTAN 70% + HEXACONAZOLE 5% WP



CARMAN


CARBENDAZIM 12%+ MANCOZEB 63% WP



BENZ
CARBENDAZIM 50% WP



DINOZOLE DISENCONAZOLE 250/45 C



DINAAR
DODINE 65% WP

DIFENCONAZOLE 25%E.C.



MIZOLE
HEXACONAZOLE 5% SC



MARKMAN

MANCOZEB 75% WP



MEXYL

METALAXYL 35% W.S.



MITAGE

METALAXYL 8%+ MANCOZEB 64% WP



PRIORITY

PICOXYSTROBIN 6.78% + TRICYCLAZOLE 20.33% SC



ROPIZOLE

PROPICONAZOLE 25%E,C



SAFAR

SULPHUR 80% WDG



SULTOP

TEBUCONAZOLE 10%+ SULPHUR 65% WG



TAREEKH

TEBUCONAZOLE 25% WG



TIBU
TEBUCONAZOLE 25,9%E.C.



TRUZOLE
TEBUCONAZOLE 38,39% SC



THIFLUZAMIDE 24% SC



THIONIL

THIOPHANATE METHYL 70% WP



TRIAL

TRICYCLAZOLE 75% W.P.




VALIXIN

VALIDAMYCIN 3% L

FUNGICIDES







ASPIRE XTRA

AZOXYSTROBIN 18.2% + CYPEROCONAZOLE 7.3 % SC



PIXXIE

PICOXYSTROBIN 22.52 SC



DEPENDANT

DIMETHOMORPH 50% WP

HERBICIDES



GOLEE

GLUFOSINATE AMMONIUM 13.5% W/W SL



GLYPHO GEAR

GLYPHOSATE 54% SL



GLORIA 71

AMMONIUM SALT OF GLYPHOSATE 71% SG



METAZIN

METRIBUZIN 70% W.P.



SELFI

METSULFURON METHYL 20% WP



MIOX

OXYFLOURFEN 23.5% E.C W/W

HERBICIDES



DEEMAR

2.4-D AMINE SALT 58% S.L.



ARINE

ATRAZINE 50% W.P.



CHARMINAR

BISPYRIBAC SODIUM 10% SC



CLONE

CLODINAFOP PROPARGYL 15% WP



HITWELL

DICLOSULAM 85%WG

TRIBUNE

FENOXAPROP-P-ETHYL 6.7% EC

HERBICIDES



ENFIELD

PARAQUAT DICHLORIDE 24% SL



PHENZY

PENDIMETHALIN 30% + IMAZETHAPYR 2% EC



PENDALIN

PENDIMETHALIN 30% E.C.



PENDALIN PLUS

PENDIMETHALIN 38.7% C.S.



KEEPER

PENOXSULAM1.02 +
CYHALOFOP-BUTYL 5.1% OD



MICLOR

PRETILACHLOR 50% EC

HERBICIDES



EK BAAR

PYRAZOSULFURON ETHYL 10% WP



KWIZ-10

QUIZALOFOP ETHYL 10% W/W EC



KWIZ-5

OUIZALOFOP ETHYL 5% W/W EC



SULRON

SULFOSULFURON 75%+
METSULFURON METHYL 5% WH



AURIS

TEMBOTRIONE 34.4% W/W SC



SHERU

IMAZETHAPYR 10%SL



HERBICIDES



FITHIT

PYRITHIOBAC-SODIUM 10% EC



PROOXY

PROPAQUIZAFOP 10% EC



PROPELLER

PYROXASULFONE 85% WG



TRIED-ONE

MESOTRIONE 2.27%+ ATRAZINE 22.7% SC




TOPZONE

TOPRAMEZONE 33.6 % SC

PLANT GROWTH REGULATOR FERTILIZER







SHADO GOLD AMINO ACID (LIQUID)

SECULAR SULPHUR 90% GR

SHADO GOLD GR AMINO ACID (GR)



RELLIC

GIBBERELLIC ACID 0.001% L



MAPLE

MEPIQUAT CHLORIDE 5% AQUEOUS SOLUTION



Weeds of Rice



Echinochloa colonum



Echinochloa crussgalli



Oxalis corniculata



Commelina spp.



Altarnanthera pungens



Leptochloa chinensis



Eclipta alba



Altarnanthera sessilis



F. compalanta



Fimbristylis aestivalis



Monochoria vaginalis



Marsiliea quadrifolia



Cyperus rotundus



Cyperus



Phyla nodiflora

Weeds of Soybean and Blackgram



Acalypha indica



Corchorus spp.



Physalis minima



Digera arvensis



Phyllanthus niruri



Alternanthera spp.



Celosia argentina.



Cynotis axillaris



Euphorbia geniculata.



Cucumis melo



Echinocloa cruss-galli



Digitaria sanguinalis



Brachiaria reptans



Eleusine indica



Eragrostis tennala.

Safety instructions to follow while using insecticides for farmers.



Don't transport the insecticides along with the food material.







Buy original packings of insecticides.



Read carefully the label and leaflet



Wear protective clothes.



measuring appropriately.



Stir vigorously with the stick while mixing with the water.



Use funnel for preventing spillage.



Don't use the insecticide containers for storing water or food material.



Spray in the direction of wind blowing.



Don't blow with mouth for cleaning the nozzle.



Don't eat, drink and smoke while spraying.



Don't use the damaged , pierced sprayer or duster



Clean the body and soiled



Don't let children spraying.



Don't put food items near the spraying areas.



Clean hands carefully before eating and drinking.



If accidentally effected by the poison of the insecticide, consult the doctor after giving first aid.



Show the insecticide containe leaflet to the doctor.



diately start a good treatment.



Break the empty containers and dig the ground and hide in it.



After spraying take a bath and change the clothes.



Take precautions not to pollute the environment.



Keep Warning boards at the spraying areas.

Very poisonous



Highly poisonous



Common poisonous



Mild poisonous



















